

Cylinder Equipment



Multiple Cylinder Carts

All-welded steel construction of angle iron and steel round bars insures greater durability and strength.



Designed for cylinder transport, storage or manifolding



Part #	Dimensions	Weight	Capacity
6041	42"H x 10"D x 18"W	26 lbs	4
6061	42"H x 15"D x 18"W	30 lbs	6
6121	42"H x 20"D x 22"W	39 lbs	12
Wheels: solid 10" x 1.75"			

Part #	Dimensions	Weight	Capacity
6064	42"H x 15"D x 18"W	33 lbs	6
6124	42"H x 20"D x 22"W	44 lbs	12
Wheels: solid 10" x 1.75"			
Casters: 4" x 1.50" w/ locks			

Rugged heavy-duty model, constructed of high quality heavy-gauge angle iron steel frame. Removable handle design



Part #	Dimensions	Weight	Capacity
6244	42"H x 30"D x 20"W	50 lbs	24
6184	42"H x 16"D x 520"W	43 lbs	18
Casters: 4" x 1.50" w/ locks			

Part #	Dimensions	Weight	Capacity
6246	45"H x 21 1/2" W x 46 1/2" D	75 lbs	24
6406	45"H x 21 1/2" W x 46 1/2" D	128 lbs	40
6" heavy-duty plate casters, 2 locking swivel and 2 rigid.			

Cylinder Equipment



Heavy Duty Multi-Cylinder Delivery Cart



This cart is designed for ultra safe and secure handling of M7, M9, C, D, & E cylinders. It is D.O.T compliant when securely strapped within a vehicle. Designed to use with a padlock for added product security. Cart can be used with or without easily removable security door.

Constructed of heavy-gauge square tubing, round bar, large 5" casters with locks. Specially designed full length push handles. The specialty designed shelves are dirt and dust collection free and when moisture is present the shelves allow for free air flow drying



Part #	Dimensions	Weight	Capacity
LC24-4SD	45"H x 32"D x 22"W	120 lbs	24

Casters: 5" with locks



This cart is designed to transport multiple types and sizes of cylinders. It's unique slanted floor plate angles cylinders to the rear of the cart for safety.

Rectangular design gives space saving compact nesting in delivery vehicles. Dual handles provide easy maneuvering in tight spaces. Equipped with 6" heavy-duty steel locking casters and two heavy-duty nylon ratchet straps.

The enclosed cart design equipped with security doors complies with D.O.T CFR 49 requirements when strapped securely in a delivery vehicle.



Part #	Dimensions	Weight	Capacity
CB50-4 (open cart)	H 48" x D 42" x W 32"	180 lbs	68-130
CB50-4SD (enclosed cart)	H 48" x D 42" x W 32"	250lbs	68-130

Casters: (2) 6"x2" Steel swivel & (2) 6"x2" steel rigid

Cylinder Equipment



Layered Carts and Racks



These units are designed for easy storage of full or empty **M7, M9, C, D, E** type cylinders. Constructed of heavy gauge square tubing, round bar, large 5" casters with locks and convenient full-length push handles. Specially designed shelves allowing free air flow to aide in maintaining clean and dry cylinders

Part #	Dimensions	Weight	Capacity
LC25-4 (cart)	40" H x 32" D x 27" W	105 lbs	25
LR25 (rack)	40" H x 32" D x 27" W	87 lbs	25
LC50-4 (cart)	73" H x 32" D x 27" W	190 lbs	50
LR-50 (rack)	66" H x 32" D x 27" W	174 lbs	50

Casters: 5" diameter with brake



These units are designed for easy storage of full or empty **M4, M6, & B** type cylinders. Constructed of heavy gauge square tubing, round bar, large 5" casters with locks and convenient full-length push handles. Specially designed shelves allowing free air flow to aide in maintaining clean and dry cylinders

Part #	Dimensions	Weight	Capacity
LC84-M6 (cart)	40" H x 32" D x 27" W	105 lbs	84
LR84-M6 (rack)	33" H x 32" D x 27" W	85 lbs	84
LC168-M6 (cart)	73" H x 32" D x 32" W	190 lbs	168
LR168-M6 (rack)	66" H x 32" D x 32" W	175 lbs	168

Casters: 5" diameter with brake



Optional Locking Steel Door Available

All LC & LR model racks and carts can be equipped with a heavy-duty lockable steel door to prevent theft or misuse of cylinders.

